


CHEMPIOIL

LET THE RACE BEGIN!



Automotive
OILS & FLUIDS

CHEMPIOIL



The company “Champion Chemicals LTD” unites years of sales experience and modern production technologies of engine and transmission oils by offering lubricants under the brand “CHEMPIOIL”.

Our products distinguish themselves by high quality and distinctive features, both of which have been confirmed by laboratory tests as well as by practical operation in different type of engines and transmissions.

Our reasonable approach towards the market allows us to reduce the costs on the way to our consumers to a minimum.

High accuracy “LIKE A SWISS WATCH” and quality control during production are our company’s main principles.



ULTRA MAX

9723



Fully synthetic engine oil

Description:
Chempoil Ultra MAX is a multipurpose, multigrade fully synthetic power-saving engine oil for all types of present-day engines. Thanks to the unique synthetic basis it provides instant lubrication at extremely low temperatures. Prevents start-up wear out. Provides extreme cleanness of the engine components. Guarantees maximum wear prevention at all engine functioning stages.

Meets:
SAE 0W-40, API SN/CF, ACEA C3, BMW/MINI LL-04, MB 229.31/229.51, PORSCHE A40, VW 502.00/505.00, OPEL GM-LL-A/B-025, GM dexos2, FORD WSS-M2C937-A, FIAT 9.55535-S2.

Volume:/Art.-Nr.:

1L metal CH9723-1ME	10L	CH9723-10	208L	CH9723-DR
4L metal CH9723-4ME	20L	CH9723-20	1000L	CH9723-IBC
	60L	CH9723-60		

ULTRA RS+ESTER

9705



Fully synthetic engine oil

Description:
Chempoil Ultra RS+ESTER is a fully synthetic motor oil for high performance gasoline and diesel engines which have been designed for high loads and speeds. A modern additive package ensures even under the most difficult conditions a reliable protection and the ideal cleanliness of all engine parts. Recommended for most charged direct injection engines. Can be used in motor sports.

Meets:
SAE 10W-60, API SN/CF, ACEA A3/B3/B4.

Volume:/Art.-Nr.:

1L metal CH9705-1ME	10L	CH9705-10	208L	CH9705-DR
4L metal CH9705-4ME	20L	CH9705-20	1000L	CH9705-IBC
	60L	CH9705-60		



ULTRA LRX

9702

Fully synthetic engine oil

Description:
 Chempioil Ultra LRX is a multigrade synthetic engine oil for modern gasoline and turbo diesel engines with pump-injector units. Provides high pump ability at cold cranking. Has optimal viscosity at wide-ranging temperatures. Effectively prevents from wear-out and provides extreme cleanness of the engine components. Used in the engines with prolonged oil-change interval (LongLife) and without it.

Meets:
 SAE 5W-30, API SN/CF, ACEA C3, MB 229.51, BMW LL-04, VW TL 52195, VW 504.00/507.00/502.00/505.00/503.01/506.00/505.01*/506.01**, PORSCHE C30.
 * Except VW-PDU-Motors without LongLife-Service (WIV).
 ** Except V-10-PDU-Motors in Phaeton until February 2006 and R5-PDU-Motors in Touareg until December 2006.

Volume:/Art.-Nr.:

1L	CH9702-1	1L metal	CH9702-1ME	10L	CH9702-10	208L	CH9702-DR
4L	CH9702-4	4L metal	CH9702-4ME	20L	CH9702-20	1000L	CH9702-IBC
5L	CH9702-5	5L metal	CH9702-5ME	60L	CH9702-60		



ULTRA JP

9720

Synthetic engine oil

Description:
 Chempioil Ultra JP is modern premium class engine oil for the lubrication of all 4-stroke engines of Japanese, Korean and American light vehicles, minivans and SUV's. Optimum for up-to-date diesel and gasoline engines (GDI, D-4D and NEO-DI) with multi-valve technology and turbocharging (DOHC, VVT-i, VTC, CVVT, VTEC, VVL, VVTL-i, MIVEC etc.). The combination of unconventional base oils together with the latest additive technology guarantees a motor oil that provides exceptional protection against wear and keeps the engine clean while ensuring fast oil penetration of engine.

Meets:
 SAE 5W-30, API SN, ILSAC GF-5, GM dexos1, NISSAN, MITSUBISHI, SUZUKI, TOYOTA, HONDA, SUBARU, HYUNDAI, KIA.

Volume:/Art.-Nr.:

1L metal	CH9720-1ME	10L	CH9720-10	208L	CH9720-DR
4L metal	CH9720-4ME	20L	CH9720-20	1000L	CH9720-IBC
		60L	CH9720-60		



ULTRA SL

9722

HC Synthese engine oil

Description:
 Chempioil Ultra SL is a multipurpose, multigrade HC Synthese engine oil for modern petrol and diesel engines with and without turbocharger. It is produced with the use of new and unique wear-out reducing technology. Provides high level of protection. Guarantees extreme cleanliness of engine components. Effectively reduces fuel consumption. Energy guarantees safe engine combustion at high loads, speeds and frequent temperature changes.

Meets:
 SAE 5W-30, API SL/CF, ACEA A3/B4, VW 502.00/505.00, MB 229.3.

Volume:/Art.-Nr.:

1L metal	CH9722-1ME	10L	CH9722-10	208L	CH9722-DR
4L metal	CH9722-4ME	20L	CH9722-20	1000L	CH9722-IBC
		60L	CH9722-60		

ULTRA XTT

9701



Synthetic engine oil

Description:
Chempioil Ultra XTT is a multipurpose synthetic engine oil for modern gasoline and diesel engines with and without turbocharge. Provides exceptional pump ability at cold cranking, providing safe lubrication and wear-out protection. Has optimal viscosity at wide-ranging temperatures. Satisfies the requirements of new engine types with prolonged oil-change interval.

Meets:
SAE 5W-40, API SN/CF, ACEA A3/B4, MB 229.3/226.5, VW 502.00/505.00, PORSCHE A40, OPEL GM LL-B-025, RENAULT RN 0710/0700.

Volume:/Art.-Nr.:

1L	CH9701-1	1L metal	CH9701-1ME	10L	CH9701-10	208L	CH9701-DR
4L	CH9701-4	4L metal	CH9701-4ME	20L	CH9701-20	1000L	CH9701-IBC
				60L	CH9701-60		

ULTRA XDI

9703



Synthetic engine oil

Description:
Chempioil Ultra XDI is a modern engine oil of the latest generation. Suitable for modern, high output turbo diesel engines of cars, using direct fuel injection or "common rail" technology. Provides high pump ability at cold cranking. Has optimal viscosity at wide-ranging temperatures. Effectively prevents wear-out. Provides extreme cleanness of the engine components. Can be used in gasoline engines.

Meets:
SAE 5W-40, API CI-4/SL, ACEA B4/A3, VW 505.00/502.00.

Volume:/Art.-Nr.:

1L	CH9703-1	1L metal	CH9703-1ME	10L	CH9703-10	208L	CH9703-DR
5L	CH9703-5	4L metal	CH9703-4ME	20L	CH9703-20	1000L	CH9703-IBC
		5L metal	CH9703-5ME	60L	CH9703-60		

ULTRA PD

9719



Synthetic engine oil

Description:
Chempioil Ultra PD is synthetic engine oil for the latest petrol and diesel engines with pumped-jet injection systems and with exhaust emission standard EURO 4 or EURO 5. Specially developed for engines with turbocharger, direct injection, exhaust treatment and for modern engines which require oils with the ACEA C3 specification. Contains antioxidants and prevents the formation of sediments, thereby guaranteeing clean engine parts. Compatible with catalytic converter and particulate filter (DPF). Can be used for engines powered with natural gas (CNG) and liquefied petroleum gas (LPG).

Meets:
SAE 5W-40, API SN/CF, ACEA C3, MB 229.31/229.51/226.5, VW 505.00/505.01, BMW Longlife-04, PORSCHE A40, FORD WSS-M2C917A, GM dexos2, RENAULT RN0700/RN0710.

Volume:/Art.-Nr.:

1L metal	CH9719-1ME	10L	CH9719-10	208L	CH9719-DR
5L metal	CH9719-5ME	20L	CH9719-20	1000L	CH9719-IBC
		60L	CH9719-60		



OPTIMA GT

9501



Semi-synthetic engine oil

Description:
 Chempioil Optima GT is a semi-synthetic engine oil. It contains unique additives providing high anti wear-out and energy-efficient properties. It guarantees safe lubrication even at cold temperatures. It effectively prevents sludge formation. It is designed for all modern engine types: with and without turbochargers, multi-valve, with direct injection as well as gas engines.

Meets:
 SAE 10W-40, API SN/CF, ACEA A3/B4, VW 502.00/505.00, MB 229.1, RENAULT RN0700/0710.

Volume:/Art.-Nr.:

1L	CH9501-1	1L metal	CH9501-1ME	10L	CH9501-10	208L	CH9501-DR
4L	CH9501-4	4L metal	CH9501-4ME	20L	CH9501-20	1000L	CH9501-IBC
5L	CH9501-5			60L	CH9501-60		

TURBO DI

9504



Semi-synthetic engine oil

Description:
 Chempioil Turbo DI is a multigrade semi-synthetic engine oil for diesel engines of passenger cars. Has optimal low temperature characteristics and high thermal-oxidative stability. It is specially designed for engines with turbocharge. Effectively prevents from wear out and provides extreme cleanliness of engine components.

Meets:
 SAE 10W-40, API CH-4/SL, ACEA B4/A3, VW 505.00/502.00.

Volume:/Art.-Nr.:

1L	CH9504-1	1L metal	CH9504-1ME	10L	CH9504-10	208L	CH9504-DR
5L	CH9504-5	5L metal	CH9504-5ME	20L	CH9504-20	1000L	CH9504-IBC
				60L	CH9504-60		

SUPER SL

9502



Semi-synthetic engine oil

Description:
 Chempioil Super SL is a multipurpose, multigrade semi-synthetic engine oil with hydro synthetic base for modern gasoline and diesel engines with and without turbocharge. It is produced with the use of unique wear out reducing technology. It provides high degree of protection for new cars as well as for cars with above average mileage. Prolongs periods between oil change. Chempioil Super SL provides safe engine combustion at high loads and frequent temperature changes.

Meets:
 SAE 10W-40, API SL/CH-4, ACEA A3/B3, VW 502.00/505.00, MB 229.1.

Volume:/Art.-Nr.:

1L	CH9502-1	1L metal	CH9502-1ME	10L	CH9502-10	208L	CH9502-DR
4L	CH9502-4	4L metal	CH9502-4ME	20L	CH9502-20	1000L	CH9502-IBC
5L	CH9502-5	5L metal	CH9502-5ME	60L	CH9502-60		

POWER GT

9503



Semi-synthetic engine oil

Description:
Chempiol Power GT is a semi-synthetic multipurpose, multigrade engine oil for modern gasoline and diesel engines with and without turbocharger. Provides safe engine lubrication at extreme loads. Prevents low temperature sediments formation thus providing optimal oil feeding to engine components. Contains low-ash additives to prolong the endurance of catalyst.

Meets:
SAE 15W-50, API SL/CF-4, ACEA A3/B3/E2, MB 228.1/229.1, MAN 271, VW 501.01/505.00.

Volume:/Art.-Nr.:

1L	CH9503-1	10L	CH9503-10	208L	CH9503-DR
4L	CH9503-4	20L	CH9503-20	1000L	CH9503-IBC
		60L	CH9503-60		

MULTI SG

9402



Universal engine oil

Description:
Chempiol Multi SG is a multipurpose, multigrade engine oil with highly purified mineral basis for modern gasoline and diesel engines. Has good detergent-dispersing properties. Provides safe lubrication and cleanliness of engine components.

Meets:
SAE 15W-40, API SG/CD.

Volume:/Art.-Nr.:

1L	CH9402-1	1L metal	CH9402-1ME	10L	CH9402-10	208L	CH9402-DR
4L	CH9402-4	4L metal	CH9402-4ME	20L	CH9402-20	1000L	CH9402-IBC
5L	CH9402-5	5L metal	CH9402-5ME	60L	CH9402-60		

MULTI HQ

9401



Universal engine oil

Description:
Chempiol Multi HQ is a multigrade engine oil with highly purified mineral basis for highly accelerated gasoline and diesel engines with and without turbocharger, used in tough conditions. Contains low-ash additives to prolong the endurance of the catalyst. Has stable viscosity during the whole used period. Guarantees safe engine combustion at extreme loads.

Meets:
SAE 20W-50, API SL/CF.

Volume:/Art.-Nr.:

1L	CH9401-1	1L metal	CH9401-1ME	10L	CH9401-10	208L	CH9401-DR
4L	CH9401-4	4L metal	CH9401-4ME	20L	CH9401-20	1000L	CH9401-IBC
5L	CH9401-5			60L	CH9401-60		



MOTO 2T

9201

Universal 2-stroke motor oil

Description:

Chempioil Moto 2T is a high performance engine oil with mineral basis for two-stroke engines with air cooling where separate lubrication system or direct mixing with fuel is used. Has good anti-wear properties. To select the right proportion, follow the vehicle producers' instructions.

Meets:

API TC, JASO FB, ISO-L-EGB.

Volume:/Art.-Nr.:

1L	CH9201-1	10L	CH9201-10	208L	CH9201-DR
		20L	CH9201-20	1000L	CH9201-IBC
		60L	CH9201-60		





TRUCK CH-1 SHPD

9101



Universal truck engine oil

Description:
Chempioil Truck CH-1 SHPD is a special Super High Performance Diesel high quality engine oil with mineral basis for Heavy Goods Vehicles (HGV's), busses and other high load equipment. Provides safe engine combustion at extreme loads and perfect protection from the components wear out and corrosion. Thanks to low congealation temperature provides easy cold cranking. Good detergent and dispersive properties provide perfect cleanness and safe lubrication of the engine components. Prolongs the interval between oil changes (according to the producer's instructions).

Meets:
SAE 15W-40, API CH-4/SL, ACEA E3/A3/B3/B4, MB 228.3/229.1, MAN M 3275, VOLVO VDS-2, MTU DDC Type 2.

Volume:/Art.-Nr.:

10L	CH9101-10	208L	CH9101-DR
20L	CH9101-20	1000L	CH9101-IBC
60L	CH9101-60		

TRUCK CH-2 SHPD

9102



Universal truck engine oil

Description:
Chempioil Truck CH-2 SHPD is a special Super High Performance Diesel multigrade engine oil of highest quality with mineral basis and additives providing optimal wear protection at every engine combustion step. Is produced for use in diesel engines of trucks, busses, etc. Has good antioxygenic and dispersive properties. Provides the cleanness of engine components and prolongs interval between oil changes (according to the producer's instructions).

Meets:
SAE 20W-50, API CH-4/SL, ACEA E3/A3/B3/B4, MB 228.3/229.1, MAN M 3275, VOLVO VDS-2, MTU DDC Type 2.

Volume:/Art.-Nr.:

10L	CH9102-10	208L	CH9102-DR
20L	CH9102-20	1000L	CH9102-IBC
60L	CH9102-60		



TRUCK CH-3 SHPD Super 9103



Universal truck engine oil

Description:
Chempoil Truck CH-3 SHPD Super is a special Super High Performance Diesel engine oil with the mineral basis of highest quality for trucks and buses used at extreme loads. Thanks to thoroughly selected additives provides perfect wear out and deterioration protection at increased engine speed, high loads and at wide temperature range. Outstanding low-temperature properties guarantee easy cold cranking and high pump efficiency. Reduces oil and fuel consumption. Provides the cleanliness of the engine components during the whole operational life.

Meets:
SAE 10W-40, API CH-4/SL, ACEA E3/A3/B3/B4, MB 228.3/229.1, MAN M 3275, VOLVO VDS-2, MTU DDC Type 2.

Volume:/Art.-Nr.:

10L	CH9103-10	208L	CH9103-DR
20L	CH9103-20	1000L	CH9103-IBC
60L	CH9103-60		

TRUCK CH-4 SHPD Super 9104



Universal truck engine oil

Description:
Chempoil Truck CH-4 SHPD Super is a special high quality Super High Performance Diesel engine oil with mineral basis for heavily loaded trucks' and regular buses' diesels. Provides safe engine combustion at extreme loads and perfect protection from the components wear-out and corrosion. Thanks to special additives has low congelation temperature and provides easy cold cranking. Good detergent and dispersive properties provide perfect cleanness and safe lubrication of the engine components.

Meets:
SAE 15W-40, API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7/A3/B4, JASO DH-1, VOLVO VDS-3, MAN M 3275, MB-Approval 228.3, MTU DDC Type 2, MACK EO-N/EO-M Plus, RENAULT RLD-2, CUMMINS CES 20076/77/78, CATERPILLAR ECF-2/ECF-1-a, GLOBAL DHD-1, DETROIT DIESEL PGOS 93K215, DEUTZ DQC-III.

Volume:/Art.-Nr.:

10L	CH9104-10	208L	CH9104-DR
20L	CH9104-20	1000L	CH9104-IBC
60L	CH9104-60		

TRUCK CH-5 UHPD Ultra 9105



Semi-synthetic truck engine oil

Description:
Chempoil Truck CH-5 UHPD Ultra is a semi-synthetic Ultra High Performance Diesel engine oils that satisfies strictest standards for lorry producers. Synthetic components provide high performance properties. Has optimal low-temperature characteristics. Provides stable viscosity at wide-ranging temperatures. Safely protects the engine components from wear out and tearing either at cold cranking or at high temperatures. Provides efficient engine combustion.

Meets:
SAE 10W-40, API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7/A3/B4, JASO DH-1, VOLVO VDS-3, MAN M 3275, MB 228.3, MTU DDC Type 2, MACK EO-N/EO-M Plus, RENAULT RLD-2, CUMMINS CES 20076/77/78, CATERPILLAR ECF-2/ECF-1-a, DETROIT DIESEL PGOS 93K215, DEUTZ DQC-III, GLOBAL DHD-1.

Volume:/Art.-Nr.:

10L	CH9105-10	208L	CH9105-DR
20L	CH9105-20	1000L	CH9105-IBC
60L	CH9105-60		

TRUCK CH-6 UHPD Ultra ECO



Synthetic truck engine oil

Description:
Chempioil Truck CH-6 UHPD Ultra ECO is a synthetically-based Ultra High Performance Diesel engine oil that satisfies the strictest standards of the truck producers. Thanks to its unique consistence has perfect viscosity-temperature properties that guarantee easy cranking at extremely low temperatures and safe protection from wear-out at high loads and temperatures. Effectively reduces the frictional heating. Significantly prolongs the interval between oil changes. Has good detergent and dispersive properties providing perfect cleanness of the engine components. Provides efficient engine combustion.

Meets:
SAE 10W-40, ACEA E4/E7, API CI-4/SL, MB 228.5, VOLVO VDS-3, MAN M 3277/M 3377, MTU DDC Type 3, CUMMINS CES 20078, RENAULT RXD/RLD-2, DEUTZ IV-10, MACK EO-N/OE-M Plus, DETROIT DIESEL PGOS 93K215, GLOBAL DHD-1.

Volume:/Art.-Nr.:

10L	CH9106-10	208L	CH9106-DR
20L	CH9106-20	1000L	CH9106-IBC
60L	CH9106-60		

TRUCK CH-7 UHPD Blue 9107



Synthetic truck engine oil

Description:
Chempioil Truck CH-7 UHPD Blue is a synthetically-based Ultra High Performance Diesel engine oil that satisfies strictest standards of the truck producers. Thanks to its unique consistence has perfect viscosity-temperature properties that guarantee easy cranking at extremely low temperatures and safe protection from wear out at high loads and temperatures. Effectively reduces frictional heating. Significantly prolongs interval between oil changes (according to the producer's instructions).

Meets:
SAE 10W-40, ACEA E9/E7/E6/E4, API CJ-4/CI-4, CATERPILLAR ECF-1-a, CUMMINS CES 20076/77, DEUTZ DQC III-10 LA/IV-10 LA, MAN M 3477/M 3575/M 3271-1, MB 228.51, MACK EO-O Premium Plus, MTU DDC Type 3.1, RENAULT RLD-2/RLD-3, VOLVO VDS-4.

Volume:/Art.-Nr.:

10L	CH9107-10	208L	CH9107-DR
20L	CH9107-20	1000L	CH9107-IBC
60L	CH9107-60		

TRUCK CH-8 UHPD Extra 9108



Fully synthetic truck engine oil

Description:
Chempioil Truck CH-8 UHPD Extra is fully synthetic Ultra High Performance Diesel engine oil that satisfies strictest standards of the truck producers. Thanks to its unique consistence has perfect viscosity-temperature properties that guarantee easy cranking at extremely low temperatures and safe protection from wear at high loads and temperatures. Effectively reduces frictional heating. Significantly prolongs interval between oil changes. Has good detergent and dispersive properties providing perfect cleanliness of engine components and ageing resistance.

Meets:
SAE 5W-30, ACEA E4/E7, MB-Approval 228.5, DEUTZ DQC IV-10, MTU DDC Type 3.

Volume:/Art.-Nr.:

10L	CH9108-10	208L	CH9108-DR
20L	CH9108-20	1000L	CH9108-IBC
60L	CH9108-60		



TRUCK CH-11 Geo

9111

Natural gas truck engine oil

Description:
Chempioil Truck CH-11 Geo is engine oil specifically formulated for gas engines and has superb performance properties. Designed to meet the requirements of today's modern four-stroke engines, formulated to provide reliable protection for trucks and buses which runs on compressed (CNG), liquefied (LNG) natural gas or liquefied petroleum gas (LPG). Chempioil Truck CH-11 GEO uses high quality base oils and an advanced additive system with low sulphated ash, which deliver exceptional thermal, oxidation stability and nitration resistance. Chempioil Truck CH-11 GEO is balanced to provide perfect anti-wear protection characteristics.

Meets:
SAE 15W-40, CUMMINS CES 20074, DETROIT DIESEL PGOS 93K216.

Volume:/Art.-Nr.:

10L	CH9111-10	208L	CH9111-DR
20L	CH9111-20	1000L	CH9111-IBC
60L	CH9111-60		

TRUCK CH-14 UHPD

9114

Synthetic truck engine oil

Description:
Chempioil Truck CH-14 UHPD is a synthetic oil designed for use in utility vehicles with diesel engines. It distinguishes itself by extended oil change intervals, a continuous anti-wear protection, less emissions as well as less deposits. Thanks to the unique additive technology this low SAPS oil complies with the specifications ACEA E9, API CJ-4, Mercedes-Benz 228.31 and Volvo VDS-4.

Meets:
SAE 15W-40, API CJ-4/SN, ACEA E7/E9, JASO DH-2, MB 228.31, MAN M 3575, VOLVO VDS-4, MACK EO-O Prem. Plus, RENAULT RLD-3, CUMMINS CES 20081, DETROIT DIESEL PGOS 93K218, CATERPILLAR ECF-3, DEUTZ DQC III-10 LA, MTU DDC Type 2.1, SCANIA Low Ash.

Volume:/Art.-Nr.:

10L	CH9114-10	208L	CH9114-DR
20L	CH9114-20	1000L	CH9114-IBC
60L	CH9114-60		

TRUCK CH-15 SHPD

9115

Universal truck engine oil

Description:
Chempioil Truck CH-15 SHPD is a special high-quality Super High Performance Diesel engine oil on a mineral basis for heavily loaded diesels of lorries and regular buses. Provides safe engine combustion at extreme loads and perfect protection from wear out and corrosion. Thanks to special additives it has a low congealation temperature and provides easy cold cranking. Good detergent and dispersive properties provide perfect cleanliness and safe lubrication of the engine components.

Meets:
SAE 20W-50, API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7/A3/B4, JASO DH-1, MB 228.3, MAN M 3275, MTU DDC Type 2, VOLVO VDS-3, MACK EO-N/EO-M Plus, RENAULT RLD-2, CUMMINS CES 20076/77/78, CATERPILLAR ECF-2/ECF-1-a, GLOBAL DHD-1, DETROIT DIESEL PGOS 93K215, DEUTZ DQC-III.

Volume:/Art.-Nr.:

10L	CH9115-10	208L	CH9115-DR
20L	CH9115-20	1000L	CH9115-IBC
60L	CH9115-60		

TRUCK CH-17 UHPD Blue 9117



Fully synthetic truck engine oil

Description:

Chempioil Truck CH-17 UHPD Blue is a fully synthetic engine oil, developed for highly loaded diesel engines with turbochargers which are operated under heavy conditions, which comply with the standards Euro 3, 4, 5 and Euro 6 and which are equipped with diesel particle filters (DPF), three-way catalytic converters (SCR) as well as special afterburning systems (EGR). Recommended for use in European, American and Japanese diesel engines of the latest generation which run on low-sulphur fuel.

Meets:

SAE 5W-30, ACEA E6/E7, MB 228.51, MAN M 3677, SCANIA Low Ash.

Volume:/Art.-Nr.:

10L	CH9117-10	208L	CH9117-DR
20L	CH9117-20	1000L	CH9117-IBC
60L	CH9117-60		

TRUCK CH-20 SHPD 9120



Synthetic truck engine oil

Description:

Chempioil Truck CH-20 SHPD is a Super High Performance Diesel engine oil on a synthetic basis for use in heavily loaded trucks. Thanks to its unique consistence it has perfect viscosity-temperature properties that guarantee easy cranking at extremely low temperatures and safe protection from wear-out at high loads and temperatures.

Meets:

SAE 10W-30, ACEA E9/E7, API CJ-4/SN, MB 228.31, MAN M 3575, VOLVO VDS-4, RENAULT RLD-3, MACK EO-O Prem. Plus/EO-M Plus, CUMMINS CES 20076/-78/-81, CATERPILLAR ECF-2/ECF-3, DEUTZ DQC III-10-LA, DETROIT DIESEL PGOS 93K218, MTU DDC Type 2.1.

Volume:/Art.-Nr.:

20L	CH9120-20	208L	CH9120-DR
60L	CH9120-60	1000L	CH9120-IBC



MULTI ATF

8904

Automatic transmission fluid



Description:

Chempoil Multi ATF is automatic transmission fluid for many passenger cars and light commercial vehicles as well as the most automatic transmissions from Asia manufacturers. Improved friction characteristics ensure smooth shifting and excellent shifting comfort at low temperatures.

Meets:

AISIN WARNER JWS 3309, JASO M315 Type 1A, GM DEXRON® II/II-E/III/III-G/III-H, DEXRON® VI, AUDI, BMW, VW, VOLVO, VOITH, MB, MB NAG-2, ZF ALLISON C-3/C-4, TES-295/TES-389, FORD MERCON® LV, LEXUS TYPE T/T-II/T-III/T-IV, WS (JWS 3324), MAN 339 A/F/V1/V2/Z1/Z2/Z3, TOYOTA TYPE T-II/T-III/T-IV/T-IV/T-IV, SSANG YONG, KIA, MAZDA, RENAULT and many others.

Volume:/Art.-Nr.:

1L	CH8904-1	1L metal	CH8904-1ME	10L	CH8904-10	208L	CH8904-DR
4L	CH8904-4	4L metal	CH8904-4ME	20L	CH8904-20	1000L	CH8904-IBC
				60L	CH8904-60		

ATF D-III

8902

Automatic transmission fluid



Description:

Chempoil ATF D-III is an oil with a high viscosity index for automatic transmissions. It can be used in automatic transmissions, torque converters, power steering and hydraulic circuits, for which the constructors prescribe a product, which meets the General Motors ATF Type Dexron III or Dexron II-E and Ford Mercon requirements.

Meets:

GM DEXRON III H/G/F, FORD MERCON® V, FORD M2C138-CJ/M2C166-H, MB 236.1, ZF-TE-ML 09/11/14, ALLISON C4/TES 389, VOITH G.607, CATERPILLAR TO-2, POWER STEERING FLUID.

Volume:/Art.-Nr.:

1L	CH8902-1	10L	CH8902-10	208L	CH8902-DR
4L	CH8902-4	20L	CH8902-20	1000L	CH8902-IBC
		60L	CH8902-60		

ATF D-II

8901



Automatic Transmission Fluid

Description:
Chempioil ATF D-II is a multipurpose fluid for automatic transmissions, hydraulic steering systems and hydraulic clutch. Has high performance specifications. Provides long durability of transmission components.

Meets:
GM DEXRON® II D, MB 236.5/236.7, MAN 339 V1/Z1, ALLISON C4, RENK, CATERPILLAR TO-2, VOITH G607, ZF TE-ML 03D/04D/11A/14A/17C.

Volume:/Art.-Nr.:

1L	CH8901-1	10L	CH8901-10	208L	CH8901-DR
4L	CH8901-4	20L	CH8901-20	1000L	CH8901-IBC
		60L	CH8901-60		

SYNCRO GLX

8806



Fully synthetic gear oil

Description:
Chempioil Syncro GLX is a fully synthetic high quality transmission oil for lubrication of all the differential gear types including those with higher friction where "Limited Slip Oil API GL-5" is used. Provides wear-out protection. Is specially designed for heavily loaded transmissions of sportsters and four-wheel drive vehicles.

Meets:
SAE 75W-140, API GL-5 LS (Limited slip), MIL-L-2105 D, MAN 342, SCANIA STO 1:0

Volume:/Art.-Nr.:

1L	CH8806-1	1L metal	CH8806-1ME	10L	CH8806-10	208L	CH8806-DR
4L	CH8806-4	4L metal	CH8806-4ME	20L	CH8806-20	1000L	CH8806-IBC
				60L	CH8806-60		

SYNCRO GLV

8801



Synthetic gear oil

Description:
Chempioil Syncro GLV is a multigrade high quality transmission oil with mineral basis for high loaded hypoid gearings. Endures extreme loads. Can be used for the lubrication of cone-, cylinder shaped and screw-gears.

Meets:
SAE 75W-90, API GL-4/5 LS (Limited slip), MAN 342 Type M1/M2/M3, MACK GO-J/-J Plus, SCANIA STO 1:0

Volume:/Art.-Nr.:

1L	CH8801-1	1L metal	CH8801-1ME	10L	CH8801-10	208L	CH8801-DR
4L	CH8801-4	4L metal	CH8801-4ME	20L	CH8801-20	1000L	CH8801-IBC
				60L	CH8801-60		



HYPOID GLS

8802



Universal gear oil

Description: Chempoil Hypoid GLS is a multigrade high quality transmission oil with mineral basis for high loaded hypoid gearings. Endures extreme loads. Can be used for the lubrication of cone-, cylinder shaped and screw-gears.

Meets: SAE 80W-90, API GL-4/GL-5 LS (Limited Slip), MIL-L-2105 D, MAN 342, MACK GO-J, API MT -1.

Volume:/Art.-Nr.:

1L	CH8802-1	1L metal	CH8802-1ME	10L	CH8802-10	208L	CH8802-DR
4L	CH8802-4	4L metal	CH8802-4ME	20L	CH8802-20	1000L	CH8802-IBC
				60L	CH8802-60		

BASIC GLC

8805



Fully synthetic gear oil

Description: Chempoil Basic GLC is a fully synthetic high quality transmission oil for lubrication of the transmission gears with integrated differential gears. Provides high differential gears protection and increases their life circles. Prolongs periods between oil change. Meets the requirements of most of the auto producers.

Meets: SAE 75W-90, API GL-4+, MIL-L-2105, VW 501.50.

Volume:/Art.-Nr.:

1L	CH8805-1	1L metal	CH8805-1ME	10L	CH8805-10	208L	CH8805-DR
4L	CH8805-4	4L metal	CH8805-4ME	20L	CH8805-20	1000L	CH8805-IBC
				60L	CH8805-60		

HYPOID LSD

8803



Truck gear oil

Description: Chempoil Hypoid LSD is a high quality transmission oil with mineral basis for mechanical transmission aggregates of trucks and passenger vehicles that provides safe functioning of self-locking gears with limited slip, main gears, reducing gears, driving axles and other loaded transmission control groups. Has perfect anti-tearing and anti-wear properties. Improved thermal and oxidation stability provides perfect cleanness of the mechanisms and prolonged oil cycle life before change.

Meets: SAE 85W-140, API GL -5, MIL-L-2105 D.

Volume:/Art.-Nr.:

10L	CH8803-10	208L	CH8803-DR
20L	CH8803-20	1000L	CH8803-IBC
60L	CH8803-60		

MTF-4

8804



Synthetic gear oil

- Description:**
Chempioil MTF-4 is a new generation synthetic transmission oil for mechanic 5- and 6-speed transmissions from Volvo, Toyota, Nissan, BMW, Mitsubishi, Peugeot, Honda, ZF etc. Modern additive package provides easy start, smooth operation of manual transmissions at low temperatures and under high loads hold excellent anti-foaming properties and high thermal stability compatible with all types of construction materials. Extended oil change periods. Exceed most requirements of automotive manufacturers.
- Meets:**
SAE 75W-80, API GL-4, BMW MTF LT-1/-2/-3/-4, MB 235.10, FORD WSS-M2C200-D2, VW G009 317/ G052 171 G052/ G052 178/G052 512/ G052 532/ G052 527/ G052 726/ G052 798/ G055 726, TOYOTA JWS 227, PSA B 71 2330, PEUGEOT 9730A2/A8, NISSAN 999MP-MTF20P KE91699932R, MITSUBISHI MZ312644 3005401.
- Volume:/Art.-Nr.:**
- | | | | |
|-----|-----------|-------|------------|
| 10L | CH8804-10 | 208L | CH8804-DR |
| 20L | CH8804-20 | 1000L | CH8804-IBC |
| 60L | CH8804-60 | | |



ZENTRAL HF

8990

Synthetic central hydraulic fluid



Description:

Chempioil Zentral HF is high performance hydraulic fluid for life-time application in modern vehicle aggregates like power steering, level control, shock absorber, hydropneumatic suspension, stability- and traction control, hydraulics for convertible tops, central lock systems. Suitable for all extreme conditions and guarantees full performance from -40°C to over 130°C system temperature. Especially designed for hydraulics in the automotive industry with highest technical requirements. To mix only with original central hydraulic fluids. e used year round for engines, transmissions with wet brakes and hydraulic systems.

Meets:

VW TL 52146 (G 002 000/ G 004 000), BMW 81 22 9 407 758, MB 345.0, VOLVO 8713089, FORD WSS-M2C204-A, GM/OPEL B 040 0070, FENDT X 902.011.622, MAN M 3289, CHF 11 S.

Volume:/Art.-Nr.:

1L	CH8990-1	1L metal	CH8990-1ME	10L	CH8990-10	208L	CH8990-DR
				20L	CH8990-20	1000L	CH8990-IBC
				60L	CH8990-60		

PLUS LHM

8991

Hydraulic fluid



Description:

Chempioil Plus LHM is a hydraulic thin fluid for hydro-pneumatic suspensions systems, brakes, and steering boosters in Citroën, Peugeot, Mercedes Benz and Volkswagen cars. Provide safe and smooth fluid power system functioning at low temperatures. Has high anti wear-out, antioxygenic and anti-corrosion properties. Is neutral to rubber sleeves and seals. Has perfect demulsifying properties.

Meets:

ISO 7308, DIN 51524.3, PSA B 71 2710, FIAT 9.55597, IVECO 18-1823, NH 610 A, SDFG OF1611S.

Volume:/Art.-Nr.:

1L	CH8991-1	1L metal	CH8991-1ME	10L	CH8991-10	208L	CH8991-DR
				20L	CH8991-20	1000L	CH8991-IBC
				60L	CH8991-60		



Find the right product with your smartphone:



2018/19

CHAMPION CHEMICALS LTD
Freihofstrasse 28
CH-8700, Küsnacht
Switzerland

www.chempioil.com